HISTORY FACILITY PROFILE

PROVIDER #: 465020 FACILITY BEDS
PHONE NUMBER: (435) 723-5289
PARTICIPATION DATE: 10/01/1977 CERTIFIED: 72 TYPE OWNERSHIP: FOR PROFIT - CORPORATION PIONEER CARE CENTER

815 SOUTH 200 WEST BRIGHAM CITY UT 84302 STATE'S REGION CODE: 001

COMPLIANCE STATUS: FACILITY MEETS REQUIREMENTS BASED ON AN ACCEPTABLE PLAN OF CORRECTION

RESIDENT CENSUS ON	04/10/2002	LTC ADMISS	SION/SUSPENSION DATES	TOT	AL CERTIF	IED BE	DS: 72
TOTAL:	36	ADMISSION	SUSPENDED:	18	18/19	19	ICF/MR
MEDICARE:	4	SUSPENSION	RESCINDED:				
MEDICAID.	22				72		

CURRENT SURVEY REVISIT DATES - NONE

OTHER: 10

PRIOR 3	S/S	PRIOR 2	S/S	PRIOR 1	S/S	CURRENT	S/S	PLAN/DATE	
SURVEY	CODE	SURVEY	CODE	SURVEY	CODE	SURVEY	CODE	OF CORRECT	PROGRAM REQUIREMENTS
01/1999		04/2000		06/2001		04/10/20	02		

REQ F0316-APPROPRIATE TREATMENT FOR INCONTINENT RES REQ F0329-DRUG REGIMEN IS FREE FROM UNNECESSARY DRUGS X E

EDITION OF LSC APPLIED							
85 EXIST	85 EXIST	85 EXIST	85 EXIST				
PRIOR 3	PRIOR 2	PRIOR 1	CURRENT	PLAN/DATE			
SURVEY 01/1999	SURVEY 03/2000	SURVEY 05/2001	SURVEY 04/22/2002	OF CORRECTION	LSC DEFICIENCIES - BLDG NO. 01		
X	,	,	,,		K0018-CORRIDOR DOORS		
			X C	05/09/2002	K0046-EMERGENCY LIGHTING		
		X			K0050-FIRE DRILLS		
		X			K0052-TESTING OF FIRE ALARM		
			X N		K0056-AUTOMATIC SPRINKLER SYSTEM		
		X			K0062-SPRINKLER SYSTEM MAINTENANCE		
X					K0069-COOKING EQUIPMENT		
			X C	05/06/2002	K0076-MEDICAL GAS SYSTEM		
X	X	X	X C	05/06/2002	K0130-OTHER		

TYPE OF DEFICIENCY	CURRENT SURVEY	PRIOR 1 SURVEY	PRIOR 2 SURVEY	PRIOR 3 SURVEY
CONDITION	0	0	0	0
REQUIREMENT	0	0	1	1
HEALTH TOTAL	0	0	1	1
LIFE SAFETY CODE	4	4	1	3
LIFE SAFETY CODE + HEALTH	4	4	2	4

COMPLAINT SURVEY INFORMATION

SURVEY DATE	STATUS
09/08/1999	UNSUBSTANTIATED
10/19/1999	UNSUBSTANTIATED
01/13/2000	UNSUBSTANTIATED
06/07/2001	UNSUBSTANTIATED

FMS SURVEY INFORMATION

TYPE OF SURVEY SURVEY DATE 04/27/2000 COMPARATIVE

C=DATE OF CORRECTION N=NO DATE GIVEN COP = CONDITION REQ = REQUIREMENT P=PLAN OF CORRECTION R=REFUSED TO CORRECT W=WAIVED F=FSES X=DEFICIENT